

# HANDGUARDS

## FOR ALL YOUR REAL ESTATE NEEDS

Configuring your firearm to achieve your goals requires a handguard with a solid foundation. Balance between mounting real estate, ergonomics of mounted attachments, and overall weight is key. A solid lockup is a given. Being straightforward and easy to install is welcomed. Our UTG PRO® selection of Michigan-made handguards is the foundation for your build and delivers these promises with quality materials at a price accessible to everyone.







## JUMP TO A SERIES

**UTG PRO®**  **MONOLITHIC HANDGUARDS** 108  
FOR MP5® & MP5K **[NEW]**

**UTG PRO®**  **FREE FLOAT HANDGUARDS** 110

FORERUNNER 110

ARWEN 112

SUPER SLIM SD 114

ULTRA SLIM 116

SUPER SLIM 116

**UTG PRO®**  **DROP-IN HANDGUARDS** 117

AR15 Drop-in 117

AKM Drop-in 118

RUGER PC Carbine Drop-in 119

(THIRD PARTY TRADEMARKS MAY BE USED IN THIS CATALOG FOR USER CONVENIENCE TO INDICATE THE FIT OR COMPATIBILITY OF THE APPLICABLE PRODUCT.)





# MPS MONOLITHIC



 **UTG<sup>®</sup>**  
**PRO**

# MONOLITHIC HANDGUARD FOR MP5® & MP5K

**UTG PRO®**  **NEW**

## MONOLITHIC M-LOK® HANDGUARDS FOR MP5® & MP5K

- » Proudly Designed and Made in USA
- » Monolithic Design Combines Mounting and Optics Real Estate into One Rigid Mount
- » 6061-T6 Aluminum with Dehorned Corners and Melted Contours
- » Extended Picatinny Flat Top with Cutout for Serial Number Identification
- » M-LOK® Slots Around Circumference of Handguard
- » Chamfered Locking Recess Notch Prevents Hot Spots and Snag Points while Manipulating Charging Handle
- » Integral Left and Right Side Anti-Rotational QD Sockets (MTU055SSMK excluded)
- » US PAT. 11656059



Patented Claw Mount Locking Interface (US PAT. 11656059)



Chamfered Locking Recess Notch



Extended Picatinny Flat Top with Cutout for Serial Number



For MP5K / MTU055SSMK



For MP5® / MTU055SSM



For MP5®, Extended Length / MTU055SSE **[NEW]**

### FOR MP5K & MP5K CLONES

### FOR MP5® & MP5® CLONES

### FOR MP5® & MP5® CLONES EXTENDED LENGTH

	MTU055SSMK	MTU055SSM	MTU055SSE
<i>Length</i>	10.94" (278 mm)	13.65" (347 mm)	15.90" (404 mm)
<i>Width x Height</i>	1.69" x 2.07" (43 x 53 mm)	1.69" x 2.07" (43 x 53 mm)	1.94" x 2.75" (49 x 70 mm)
<i>Weight</i>	7.0 oz (198 g)	9.8 oz (278 g)	10.5 oz (298 g)
<i>M-LOK® Slots</i>	8 Full, 3 Half	17 Full, 5 Half	17 full, 6 half
<i>Picatinny Slots</i>	13	16	26



**F**ORERUNNER



 **UTG<sup>®</sup>  
PRO**




# FORERUNNER FREE FLOAT HANDGUARDS



## AR15 FORERUNNER FREE FLOAT M-LOK® HANDGUARDS

- » Precision Machined from 6061-T6 Aluminum and Finished in a Matte Black Anodization
- » Unique Patented Titanium Barrel Nut Requires Little to No Timing in Relation to the Gas Tube and Installation Screws
- » M-LOK® Slots on 3 Slot Tracks for Mounting Accessories
- » Handguard Features an Ergonomic Octagonal Profile and Machined Lightening Cuts Made Throughout with a 3-Slot Top Picatinny Rail Found at the Front and Rear
- » Integral Anti-Rotation Tabs to Ensure Accurate Alignment with Upper Receiver
- » Compatible with Left or Right Handed AR15 Upper Receivers
- » Includes M-LOK® Picatinny Rail Section, QD Sling Swivel Adaptor, Installation Hardware, and Barrel Nut Wrench
- » US PAT. 10670369



	MTU049SPM	MTU044SPM	MTU045SPM	MTU046SPM	MTU047SPM	MTU048SPM
<b>Length</b>	4.8" (122 mm)	6.8" (173 mm)	9.8" (249 mm)	13.8" (351 mm)	15.3" (389 mm)	17.3" (439 mm)
<b>Width x Height</b>	1.69" x 2.07" (43 x 53 mm)	1.69" x 2.07" (43 x 53 mm)	1.69" x 2.07" (43 x 53 mm)	1.69" x 2.07" (43 x 53 mm)	1.69" x 2.07" (43 x 53 mm)	1.69" x 2.07" (43 x 53 mm)
<b>Weight</b>	4.6 oz (130 g)	5.7 oz (162 g)	7.3 oz (207 g)	9.5 oz (269 g)	10.3 oz (292 g)	11.5 oz (326 g)
<b>M-LOK® Slots</b>	3 Full, 3 Half	13 Full	19 Full	25 Full, 7 Half	28 Full, 3 Half	31 Full, 7 Half
<b>Picatinny Slots</b>	6	6	6	6	6	6



ARWEN



 **UTG<sup>®</sup>  
PRO**




# ARWEN FREE FLOAT HANDGUARDS



## AR15 ARWEN FREE FLOAT M-LOK® HANDGUARDS

- » Arwen Meaning “Fair” in Welsh, is the Go-to UTG PRO® Handguard Series for Shooters Looking for a Well-Balanced and Fully-Featured Handguard with a Streamlined Look
- » Precision Machined from 6061-T6 Aluminum and Finished in a Matte Black Anodization
- » Unique Patented Steel Barrel Nut Requires Little to No Timing in Relation to the Gas Tube and Installation Screws and Furthermore, Does not Require a Proprietary Wrench for Installation
- » M-LOK® Slots at the 3, 6, and 9 O’clock Positions along with Additional 45 Degree M-LOK® Slots Located at the Front of the Handguard
- » Integral Anti-Rotation Tabs to Ensure Accurate Alignment with Upper Receiver
- » Lightening Cuts Throughout the Handguard Keep Weight to a Minimum
- » Compatible with Left or Right Handed AR15 Upper Receivers
- » Includes Installation Hardware and Barrel Nut Wrench
- » US PAT. 10670369



	MTU049SEM	MTU044SEM	MTU045SEM	MTU046SEM	MTU047SEM	MTU048SEM
<b>Length</b>	4.8" (122 mm)	6.8" (173 mm)	9.8" (249 mm)	13.8" (351 mm)	15.3" (389 mm)	17.3" (439 mm)
<b>Width x Height</b>	1.69" x 2.07" (43 x 53 mm)	1.69" x 2.07" (43 x 53 mm)	1.69" x 2.07" (43 x 53 mm)	1.69" x 2.07" (43 x 53 mm)	1.69" x 2.07" (43 x 53 mm)	1.69" x 2.07" (43 x 53 mm)
<b>Weight</b>	6.0 oz (170 g)	7.4 oz (210 g)	9.4 oz (266 g)	12.1 oz (343 g)	13.1 oz (371 g)	14.4 oz (408 g)
<b>M-LOK® Slots</b>	10 Full	13 Full	19 Full	25 Full, 3 Half	28 Full, 3 Half	34 Full
<b>Picatinny Slots</b>	11	16	24	34	38	43



# SUPER SLIM ED



 **UTG<sup>®</sup>**  
**PRO**



# SUPER SLIM SD FREE FLOAT HANDGUARDS



## AR15 SUPER SLIM SUPPRESSED FREE FLOAT M-LOK® HANDGUARDS

- » 1.67" Inner Diameter for Compatibility with Suppressors
- » Precision Machined from 6061-T6 Aluminum and Finished in a Matte Black Anodization
- » M-LOK® Slots on 7 Slot Tracks for Mounting Accessories
- » Ergonomic Octagonal Profile with Grooved Surface Provides a Comfortable Means of Handling
- » Full Length Top Picatinny Rail is Flush and Continuous with Upper Receiver
- » Integral Anti-rotation Tabs to Ensure Accurate Alignment with Upper Receiver
- » Compatible with Left or Right Handed AR15 Upper Receivers
- » Includes M-LOK® Picatinny Rail Section, QD Sling Swivel Adaptor, Installation Hardware, and Barrel Nut Wrench
- » US PAT. 10670369



**7 INCH**



**10 INCH**



**14 INCH**



**15.5 INCH**

	<b>MTU044XLM</b>	<b>MTU045XLM</b>	<b>MTU046XLM</b>	<b>MTU047XLM</b>
<b>Length</b>	7" (178 mm)	10" (254 mm)	14" (356 mm)	15.5" (394 mm)
<b>Width x Height</b>	1.96" x 2.20" (50 x 56 mm)	1.96" x 2.20" (50 x 56 mm)	1.96" x 2.20" (50 x 56 mm)	1.96" x 2.20" (50 x 56 mm)
<b>Inner Diameter</b>	1.67" (42 mm)	1.67" (42 mm)	1.67" (42 mm)	1.67" (42 mm)
<b>Weight</b>	11.4 oz (323 g)	13.7 oz (388 g)	17.1 oz (485 g)	18.3 oz (519 g)
<b>M-LOK® Slots</b>	21	35	49	56
<b>Picatinny Slots</b>	16	24	34	38





# ULTRA SLIM & SUPER SLIM FREE FLOAT HANDGUARDS

## UTG PRO®


- » Precision Machined from 6061-T6 Aluminum
- » Ergonomic Octagonal Profile with Finger Grooves for a Solid and Comfortable Grip
- » Integral Anti-rotation Tabs to Ensure Accurate Alignment with Upper Receiver
- » US PAT. 8806792

### ULTRA SLIM FREE FLOAT M-LOK® HANDGUARDS

- » Left and Right Side Grip Serrations
- » Streamlined Top End with 3-slot Picatinny Rail at the Front and Rear of Handguard
- » Compatible with Left or Right Handed Forged Mil-spec AR15 Upper Receivers

### SUPER SLIM FREE FLOAT M-LOK® HANDGUARDS

- » Compatible with Right Handed Forged Mil-spec AR15 Upper Receivers Only
- » Scalloped Top Picatinny Rail Edges for Easy and Snag Free Accessory Mounting



	ULTRA SLIM	SUPER SLIM
<i>Black Anodized</i> 	MTU019SSM3	MTU019SSM
<i>FDE CERAKOTE®</i> 	-	MTU019SSMD
<i>Black/Blue 2-Tone Anodized</i> 	MTU019SSM3B2	MTU019SSMB2
<i>Black/Red 2-Tone Anodized</i> 	MTU019SSM3R2	MTU019SSMR2
<i>Black/Bronze 2-Tone Anodized</i> 	-	MTU019SSMZ2
<i>Length</i>	15.3" (289 mm)	15.3" (289 mm)
<i>Width x Height</i>	1.53" x 1.98" (39 x 50 mm)	
<i>Weight</i>	11.5 oz (326 g)	11.5 oz (326 g)
<i>M-LOK® Slots</i>	24	56
<i>Picatinny Slots</i>	6	37



# DROP-IN HANDGUARDS



- » Matte Black Anodized 6061-T6 Aluminum Construction
- » Two-piece Drop-in Design Requires no Permanent Modification

## CARBINE-LENGTH QUAD RAIL


- » Compatible with Carbine-Length Direct Impingement (DI) Systems with Standard Delta Ring Assembly and Round Front Handguard Cap
- » MTU001 and MTU001T are also compatible with RUGER® AR-556®

## MID-LENGTH QUAD RAIL

- » Compatible with Mid-length DI Systems with Standard Delta Ring Assembly and Triangular Handguard Cap

## CARBINE-LENGTH SUPER SLIM M-LOK® HANDGUARDS

- » Compatible with Carbine-length DI Systems with Standard Delta Ring Assembly and Round Front Handguard Cap
- » Compatible with RUGER® AR-556®



CARBINE-LENGTH

CARBINE-LENGTH  
EXTENDED TOP RAIL

CARBINE-LENGTH  
EXTENDED TOP RAIL  
FSP CUTOUT

MID-LENGTH

CARBINE-LENGTH  
EXTENDED TOP RAIL

CARBINE-LENGTH  
EXTENDED TOP RAIL  
FSP CUTOUT

	MTU001	MTU001T	MTU015	MTU007
<b>Length</b>	6.7" (170 mm)	7.3" (185 mm)	10.7" (272 mm)	8.7" (221 mm)
<b>Width x Height</b>	2.44" x 2.44" (62 x 62 mm)	2.44" x 2.44" (62 x 62 mm)	2.44" x 2.44" (62 x 62 mm)	2.44" x 2.44" (62 x 62 mm)
<b>Weight</b>	11.3 oz (320 g)	11.3 oz (320 g)	17.0 oz (482 g)	14.7 oz (417 g)
<b>Picatinny Slots</b>	T14 / B14 / L14 / R14	T18 / B17 / L16 / R16	T19 / B23 / L25 / R25	T18 / B18 / L18 / R18

	MTU001SSM	MTU015SSM
<b>Length</b>	7.3" (185 mm)	15.0" (381 mm)
<b>Width x Height</b>	1.78" x 2.10" (45 x 53 mm)	1.78" x 2.10" (45 x 53 mm)
<b>Weight</b>	6.2 oz (176 g)	12.4 oz (352 g)
<b>M-LOK® Slots</b>	24	45
<b>Picatinny Slots</b>	18	30





# AKM SUPER SLIM DROP-IN HANDGUARD

**UTG PRO®**  

- » Matte Black Anodized 6061-T6 Aluminum Construction
- » Compatible with Most Milled or Stamped Romanian, Chinese, and US AK47/AK74 Pattern Rifles
- » Two-piece Drop-in Design Requires No Permanent Modification
- » US PAT. 10962324



DOCTER® Footprint MRDS Plate Included



Modular Top End Mounts Included 9 Slot Picatinny Rail Section

	<b>MTU053SSM</b>
<b>Length x Width x Height</b>	6.20" x 1.61" x 2.63" (157 x 41 x 67 mm)
<b>Weight</b>	9.7 oz (275 g)
<b>M-LOK® Slots</b>	15



# AKM DROP-IN QUAD RAIL HANDGUARDS



- » Matte Black Anodized 6061-T6 Aluminum Construction
- » Lightning Cut MIL-STD-1913 Picatinny Quad Rail with Left/Right Integral QD Sling Swivel Housings
- » Two-piece Drop-in Design Requires No Permanent Modification



## FOR UNIVERSAL


- » Compatible with Most Milled or Stamped Romanian, Chinese, and US AK47/AK74 Pattern Rifles

/ **MTU009**



## FOR ZASTAVA M92

/ **MTU052**



## FOR YUGO M70

- » Fits Yugo M70 Variants and is also compatible with the Zastava N-PAP after Removal of Rear Handguard Retainer

/ **MTU011**

	<b>MTU009</b>	<b>MTU052</b>	<b>MTU011</b>
<b>Length x Width</b>	8.4" (213 mm)	6.5" (165 mm)	6.5" (165 mm)
<b>Width x Height</b>	2.05" x 3.1" (52 x 79 mm)	2.05" x 3.18" (52 x 81 mm)	2.05" x 3.1" (52 x 79 mm)
<b>Weight</b>	9.2 oz (261 g)	9.5 oz (269 g)	9.5 oz (269 g)
<b>Picatinny Slots</b>	T14 / B14 / L14 / R14	T9 / B15 / L15 / R15	T9 / B15 / L15 / R15

# SUPER SLIM FOREND FOR RUGER® PC CARBINE™



- » Matte Black Anodized 6061-T6 Aluminum Construction
- » Machined Lightning Cuts Throughout Forend Keep Weight to a Minimum
- » Melted Contours, Chamfered Edges, and Dehorned Corners



8 M-LOK® Slots, 3 Slots at 3 and 9 O'clock and 2 Slots at 6 O'clock



Lower 1/3 Co-witness DOCTER® Footprint Optic Mount Included

	<b>MTU050SSM</b>
<b>Length x Width x Height</b>	6.49" x 1.80" x 1.73" (165 x 46 x 44 mm) Height with MRDS Mount: 3.45" (88 mm)
<b>Weight</b>	9.3 oz (264 g)
<b>M-LOK® Slots</b>	8